

### 1 Identification of the substance/preparation and of the company/undertaking

- **Product details**
- **Trade name: H 6210 PART A**
- **Manufacturer/Supplier:**  
AXSON FRANCE  
Rue de l'Equerre  
F-95310 SAINT OUEN L'AUMONE  
Tél.(33-1)34 40 34 60
- **Further information obtainable from: LAB. R&D -(33) 01 34 40 34 60**
- **Information in case of emergency: ORFILA : (33)01 45 42 59 59**

### 2 Composition/information on ingredients

- **Chemical characterization**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

|                          |        |        |
|--------------------------|--------|--------|
| Aliphatic polyisocyanate | Xi; 43 | 10-25% |
|--------------------------|--------|--------|

### 3 Hazards identification

· **Hazard description:**



*Xi Irritant*

- **Information concerning particular hazards for human and environment:**  
R 43 May cause sensitization by skin contact.  
Contains isocyanates. See information supplied by the manufacturer.

### 4 First-aid measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Do not induce vomiting; call for medical help immediately.

### 5 Fire-fighting measures

- **Suitable extinguishing agents:**  
Carbon dioxide  
Fire-extinguishing powder  
Foam
- **Special hazards caused by the substance, its products of combustion or resulting gases:**  
In case of fire, the following can be released:  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon monoxide (CO)  
Hydrogen cyanide (HCN)  
(Traces)
- **Protective equipment:** Wear self-contained respiratory protective device.

# Material Safety Data Sheet

## According to 91/155 EC

Printing date 30.07.2001

Reviewed on 27.07.2001

**Trade name: H 6210 PART A**

(Contd. of page 1)

· **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

· **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.

· **Measures for environmental protection:**

Prevent seepage into sewage system, workpits and cellars.

· **Measures for cleaning/collecting:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

After approximately one hour, transfer to suitable drum containers. Do not close these (likelihood of CO<sub>2</sub> production). Cover tops only.

Leave open to air in a supervised area for 7 to 14 days before transferring to an authorized dumping site.

### 7 Handling and storage

· **Handling:**

· **Information for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Inform personnel of risks associated with the product, the precautions to be taken and procedures to follow where an accident occurs.

Avoid exposure to the material of persons having suffered from chronic respiratory affections (especially asthmatic and bronchitic persons) and those having an isocyanate allergy.

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Store away from foodstuffs.

· **Further information about storage conditions:**

Keep receptacle tightly sealed.

Protect from humidity and water.

· **Storage class:**

· **Class according to regulation on flammable liquids:** Void

### 8 Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see item 7.

· **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists valid during the making were used as basis.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Fresh air mask

Short term filter device:

Filter A/P2

(Contd. on page 3)

# Material Safety Data Sheet

## According to 91/155 EC

Printing date 30.07.2001

Reviewed on 27.07.2001

Trade name: H 6210 PART A

(Contd. of page 2)

### · Protection of hands:



Protective gloves

PVC gloves

### · Eye protection:



Safety glasses

Tightly sealed goggles

### · Body protection: Protective work clothing

## 9 Physical and chemical properties

- **Form:** Fluid
- **Colour:** Transparent
- **Odour:** Characteristic
- **Change in condition**
  - Melting point/Melting range:** NA
  - Boiling point/Boiling range:** NA
- **Flash point:** > 200°C (P. Martens)
- **Ignition temperature:** >500°C (DIN 51 794)
- **Self-igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Density at 20°C:** 1.09 g/cm<sup>3</sup>
- **Solubility in / Miscibility with water:** Insoluble.
- **organic solvents:** Soluble in many organic solvents.
- **pH-value at 20°C:** NA

## 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Dangerous reactions**  
Violent reactions with -NHx, -OH and -SH- groups.  
In the presence of water or humidity gas is produced (CO<sub>2</sub>) and/or uncontrolled polymerization, possibly leading to internal pressure rises and consequent risk of container breach.
- **Dangerous decomposition products:** Carbon monoxide and carbon dioxide

## 11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.

(Contd. on page 4)

# Material Safety Data Sheet

## According to 91/155 EC

Printing date 30.07.2001

Reviewed on 27.07.2001

**Trade name: H 6210 PART A**

(Contd. of page 3)

- **Sensitization:** Sensitization possible through skin contact.

### 12 Ecological information

- **Information about elimination (persistence and degradability):**
- **Other information:** The product is difficultly biodegradable.
- **General notes:** At present there are no ecotoxicological assessments.

### 13 Disposal considerations

- **Product:**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
Dispose of the product by burning in a suitable incinerator or bury in an approved landfill following all applicable local and/or national regulations.
- **Uncleaned packaging:**
- **Recommendation:**  
Empty containers may not be disposed of unless any remaining material adhering to the internal walls has been removed.  
Disposal must be made according to official regulations.

### 14 Transport information

- **Land transport ADR/RID (cross-border)**
- **ADR/RID class:** -
- **Maritime transport IMDG:**
- **IMDG Class:** -
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -
- **Transport/Additional information:** Not dangerous according to the above specifications.

### 15 Regulatory information

- **Labelling according to EU guidelines:**  
The product has been marked in accordance with EU Directives / respective national laws.
- **Code letter and hazard designation of product:**  
Xi Irritant
- **Risk phrases:**  
43 May cause sensitization by skin contact.
- **Safety phrases:**  
24 Avoid contact with skin.  
37 Wear suitable gloves.  
60 This material and its container must be disposed of as hazardous waste.
- **Special labelling of certain preparations:**  
Contains isocyanates. See information supplied by the manufacturer.

(Contd. on page 5)

**Material Safety Data Sheet**  
**According to 91/155 EC**

Printing date 30.07.2001

Reviewed on 27.07.2001

**Trade name: H 6210 PART A**

(Contd. of page 4)

- **National regulations:**
- **Classification according to VbF:** Void
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

**16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing MSDS:** LAB. R&D

GB